









#### Government of Goa

### DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP

### CANACONA GOVERNMENT INDUSTRIAL TRAINING INSTITUTE

MASTIMOL CANACONA GOA Ph:(0832) 2633354

Website: www.iticanacona.goa.gov.in

Email: canacona-iti.goa@nic.in

Ref No. :CAN/ITI/STR/F-38/2022-23/ 449

Date: 14 /07/2022.

To.

O/c.

(All The Suppliers Overleaf)

# Sub: - Quotation for supply of Equipment's for Wiremen Trade reg.

Sir,

Quotations are invited in sealed envelopes for the supply of the stores at Canacona Government I.T.I. Mastimol Canacona—Goa. As per the specification and quantity mentioned below.

Sr. No.	Description of the Item	Quantity Required
\	ANNEXURE I ENCLOSED	

# The terms and conditions as applicable for the supply of stores are as follows:-

- 1. The materials will have to be supplied within the period of **15** days from the date of placing of the supply order.
- 2. The CST, Octroi, Sales Tax, GST and any other levy applicable at the time of supply may be shown separately in the quotation, otherwise it will be presumed that the price offered are inclusive of all taxes whatever may be.
- 3. The rate quoted shall be inclusive of packing and forwarding charges and freight paid for destination I.T.I. Canacona Goa.
- 4. The make, Brand, Model, etc. giving the details of the material quoted for should be mentioned in the quotation or else the item quoted shall be liable for rejection.

- 5. The printed terms and conditions in your quotation will not be binding unless specially referred to in the covering letter.
- 6. The quotation shall be valid for 90 days from the date of the opening of the same.
- 7. The store will be inspected for acceptance and will be accepted if it confirms to the specification mentioned in the supply order. (The stores can be inspected in your presence or in the presence of your representative).
- 8. In case of the rejection of the stores for not confirming to specification in the supply order, it will be the sole responsibility of the supplier to make arrangement to collect the same at his own cost and risk immediately.
- 9. This office reserves the right to accept or reject any or all the quotations without assigning any reason thereof.
- 10.In the event of any disputes arising out in the connection it shall be subject to the jurisdiction of DSDE at Panaji-Goa.
- 11.In case the payment is desired outside the state by a Demand-Draft, the bank commission shall have to be borne by the supplier.
- 12. The material supplied, as the case may be, should carry a warranty/guarantee against the defect for a period of 12 months or more from the date of acceptance.
- 13. The cost of installation, commencing, and demonstration if any shall be mentioned separately along with the item in case of tools and equipment.
- 14. The Instruction/operating manual shall be furnished along with the equipment as the case may be.
- 15. The Quotations will be evaluated as a single package for award of contract
- 16. The quotations may be sent in **sealed cover** super scribing "QUOTATION NUMBER & SUBJECT" so as to reach this office on or before **3.00 P.M.** on **26/07/2022** which will be opened on the same day at **3.30 P.M**.

Yours faithfully,

SAMRAT NAIK GAONKAR

(Principal)

Discription  Discription  DC Series Motor Coupled with Spring Balance -3HP/200VDC /1500 RPM / DC Series/ Shunt/ Compound Motor Coupled with Spring balance load set up with brake drum & Proximity Sensor Arrangements Power supply Panel: 2 Single Pole Siemens/Schneider make 10A/4A MCB & E27 Bulb connection provided in 4mm shrouded connectorVariable DC Drive using SCR of 0-200V DC/20A output provided in 4mm shrouded connector -Variable DC Drive using SCR of 0-200V DC/20A output provided in 4mm shrouded connector -Variable DC Drive using SCR of 0-200V DC/20A with Analog 0-300VDC Voltmeter & 0-2A range DC Ammeter output provided in 4mm shrouded connector -4 channel Digital Multifunction meter to measure V, I, Power, range 0-300VDC V, 0-20A range current provided in 4mm shrouded connector with RS-485 communicationDigital RPM Meter Panel: 16x2 LCD display, 4 Keys, RS-232 communication output provided in 4mm shrouded connector -3phase DOL starter 4pole MCB 415 V/10A, 9A contractor & 1.6A – 8.0A relay panel (Siemens/Schneider make) -3 phase multifunction meter panel to measure V,I., Hz, Pf, KVA, KW, KWH,THD with RS-485 Communication with CT 20A/5A - FWD/REW, STAR/DELTA CAM Switch Panel output provided in 4mm shrouded connector -Lamp Load panel of 3 Lamp Load socket with 100w BulbAesthetically designed Aluminum Profile Structure -ABS plastic enclosed Panel Board with mimic diagram -All motors/machines are provided with earthing terminals for protection -All input & output are terminated in 4mm shrouded connector -Trainer having control panel provided in 30X30mm Aluminium profile rack with 3 railing sturdy table top flat panel Trainer consist of 9 No's of ABS plastic panel mounted on the Aluminium rack with mimic diagram -30 Nos of 1.5 meter Shrouded patch chords should be supplied.	ANNEXURE I						
Motor Coupled with Spring balance load set up with brake drum & Proximity Sensor Arrangements Power supply Panel: 2 Single Pole Siemens/Schneider make 10A/4A MCB & E27 Bulb connection provided in 4mm shrouded connectorVariable DC Drive using SCR of 0-200V DC/20A output provided in 4mm shrouded connector -Variable DC Drive using SCR of 0-200V DC/2A with Analog 0-300VDC Voltmeter & 0-2A range DC Ammeter output provided in 4mm shrouded connector -4 channel Digital Multifunction meter to measure V, I, Power, range 0-300VDC V, 0-20A range current provided in 4mm shrouded connector with RS-485 communicationDigital RPM Meter Panel: 16x2 LCD display, 4 Keys, RS-232 communication output provided in 4mm shrouded connector -3phase DOL starter 4pole MCB 415 V/10A, 9A contractor & 1.6A - 8.0A relay panel (Siemens/Schneider make) -3 phase multifunction meter panel to measure V,I., Hz, Pf, KVA, KW, KWH,THD with RS-485 Communication with CT 20A/5A - FWD/REW, STAR/DELTA CAM Switch Panel output provided in 4mm shrouded connector -Lamp Load panel of 3 Lamp Load socket with 100w BulbAesthetically designed Aluminum Profile Structure -ABS plastic enclosed Panel Board with mimic diagram -All motors/machines are provided with earthing terminals for protection -All input & output are terminated in 4mm shrouded connector -Trainer having control panel provided in 30X30mm Aluminium profile rack with 3 railing sturdy table top flat panel Trainer consist of 9 No's of ABS plastic panel mounted on the Aluminium rack with mimic diagram -30	Sr. No.		Quantity	Unit Rate	Total Amoun		
	1	Motor Coupled with Spring balance load set up with brake drum & Proximity Sensor Arrangements Power supply Panel: 2 Single Pole Siemens/Schneider make 10A/4A MCB & E27 Bulb connection provided in 4mm shrouded connectorVariable DC Drive using SCR of 0-200V DC/20A output provided in 4mm shrouded connector -Variable DC Drive using SCR of 0-200V DC/2A with Analog 0-300VDC Voltmeter & 0-2A range DC Ammeter output provided in 4mm shrouded connector -4 channel Digital Multifunction meter to measure V, I, Power, range 0-300VDC V, 0-20A range current provided in 4mm shrouded connector with RS-485 communicationDigital RPM Meter Panel: 16x2 LCD display, 4 Keys, RS-232 communication output provided in 4mm shrouded connector -3phase DOL starter 4pole MCB 415 V/10A, 9A contractor & 1.6A – 8.0A relay panel (Siemens/Schneider make) -3 phase multifunction meter panel to measure V,I., Hz, Pf, KVA, KW, KWH,THD with RS-485 Communication with CT 20A/5A - FWD/REW, STAR/DELTA CAM Switch Panel output provided in 4mm shrouded connector -Lamp Load panel of 3 Lamp Load socket with 100w BulbAesthetically designed Aluminum Profile Structure -ABS plastic enclosed Panel Board with mimic diagram -All motors/machines are provided with earthing terminals for protection -All input & output are terminated in 4mm shrouded connector -Trainer having control panel provided in 30X30mm Aluminium profile rack with 3 railing sturdy table top flat panel Trainer consist of 9 No's of ABS plastic panel mounted on the Aluminium rack with mimic diagram -30	1 No.				

Goods